

Wind Cooling Projector Housing Projector Cabinet Ip66 Ultimate Cooling Solution

Basic Information

Place of Origin: Shenzhen City, Guangdong Province, China
Brand Name: shirui
Certification: ip66/EMC/POHS
Model Number: Non-standard customization
Minimum Order 1 Quantity:
Price: Negotiation
Delivery Time: 15 to 20 working days

T/T

Payment Terms:



Pa-19-3

Product Specification

Projection Distance:	1-5 Meters
• Size:	12 Inches
Brightness:	10000 Lumens
Input Interface:	HDMI, USB, VGA, AV
Power Supply:	AC 100-220V
Material:	Galvanized Sheet
Weight:	45kg
Color:	Dark Grey Sand
Cooling Method:	Wind Cooling
• Highlight:	projector cabinet ip66, ip66 wind cooling projector housing, wind cooling projector cabinet



More Images



Wind Cooling Projector Housing The Ultimate Cooling Solution for Your Business

Projector shell moistureproof box-fresh air system:

1. The industrial silent fan is used to fan the heat, and the hot air in the box body is pumped out while the fresh air is sucked in by the air inlet to form a circulation effect, so that the heat discharged by the projector in the box body is reduced, and the heating module is used to remove the fog of glass beads and dehumidify.

2. The surface treatment adopts secret putty scraping, mechanical polishing, spraying outdoor powder paint and baking technology, which has the functions of waterproof, anticorrosion, antistatic and high temperature resistance. Colors can be customized according to the actual needs of customers.



Specification:	
Spec	ification
item	value
Place of Origin	China

	Shenzhen, Guangdong
Brand Name	thisshirui
Cabinet Standard	According to customer's request
Protection Level	IP65
Туре	Outdoor projector housing
External Size	can customize
Material	Powder paint
Туре	Equipment Enclosure
Product Name	Outdoor projector housing
Material	Galvanized sheet
Surface treatment	Powder paint
Application	Outdoor Projector box
Function	climate control
Custom Service	Offerable
Feature	OEM ODM Support
Color	Accept Customized
IP Rating	IP66Waterproof Box
Ambient Temperature	-15 to 50 degree (5-122)
Ambient Humidity	0-100%
Temperature Control	5-40°C
Humidity Control	10-80%
Voltage and Frequency	220V-50HZ

FAQ:

1. who are we?

We are based in Guangdong, China, start from 2014,sell to Domestic Market(5.00%),Southeast Asia(3.00%),Mid East(2.00%). There are total about 11-50 people in our office.

2. how can we guarantee quality?

Always a pre-production sample before mass production;

Always final Inspection before shipment;

3.what can you buy from us?

Outdoor projector housing, Projector protective box, Projector waterproof box, Outdoor network cabinet, Sheet metal processing

4. why should you buy from us not from other suppliers?

We have an independent design and R&D team and 10 years of industry experience.

5. what services can we provide?

Accepted Delivery Terms: FOB,EXW

Accepted Payment Currency:USD,EUR,JPY,CAD,AUD,HKD,GBP,CNY;

Accepted Payment Type: T/T;

Language Spoken:English,Chinese

6. Where can I get product & price information?

A: Send us an inquiry e-mail, we will contact you as we receive your mail.

Craft show:



Foreign customers come to visit the factory to buy products.:



Packing & Delivery:



To better ensure the safety of your goods, professional, environmentally friendly, convenient and efficient packaging services will be provided.

Outdoor Projection Box , Product design CAD drawing for approval Swimming pool options for extreme humidity and heat, High humidity – Cave systems/underground/tunnel options for damp environments, Portrait, landscape or inverted Any number of doors, Thermal insulation, Any mounting i.e. uni-strut or M8 threaded studs, Any RAL colour finish, Any orientation - Vertical, landscape or portrait,

Any IP rated cable entries. eg: Data, HDMII , SDI

Quantity (pieces)	1 - 50	> 50	
ead time (days)	20	To be negotiated	
eo Description:			
-			
<u>।</u>	<mark>见话 She</mark>	nzhen Shirui Exhibition Eq	uipment Co., Ltd.
€ +86147756		enzhen Shirui Exhibition Eq shiruisunshaohong@outlook.com	uipment Co., Ltd.